Assignment 1: Getting Started with Raspberry Pi OS Installation

Task 1: Exploring the Raspberry Pi Desktop Environment

Deliverable:



Application Menu:

Contains shortcuts to usefull programs in different catageories, and allows you to logout.

Web Browser:

A chromium based web browser that allows you to access the web

File Manager:

Look at and access your files in a gui

Terminal:

Brings up a terminal window

Bluetooth:

Allows you to make and disconnect Bluetooth connections

WiFi:

Allows you to make and disconnect Wifi connections

Calander/Clock:


Displays the current time and date

Trash:

Where you put items you want to delete or recover deleted items

Task 2: Testing Internet Connectivity

Deliverable:



Task 3: Exploring Installed Software

Deliverable:

1. A short list of three tools and their descriptions.

- Thonny
 - A python runtime and ide
- Firefox
 - A web browser for accessing the internet
- Task Manager
 - A app that lets you view current processes and their usage of system resources

Task 4: Personalized Raspberry Pi Dashboard

Deliverables:

```
garrett at Garretts-MacBook-Pro in ~

x ssh PiStudent7
Linux PiStudent7 6.6.62+rpt-rpi-2712 #1 SMP PREEMPT Debian 1:6.6.62-1+rpt1 (2024-11-25) aarch64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/Ycopyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last logh: Fri Jan 17 1:02:51 2025 from 10.5.195.175

Welcome to Garrett's Raspberry Pl1
Current date and time: Fri Jan 17 1:03:36 AM EST 2025

System uptime: up 37 ninutes

Welcome to fish, the friendly interactive shell
Type help for instructions on how to use fish
garrett@PLStudent7 -> subo apt install htop

Reading package sever automatically installed and are no longer required:
The following packages were automatically installed and are no longer required:
The following packages were automatically installed and are no longer required:
The following packages were automatically installed and are no longer required:
The following packages were automatically installed and are no longer required:
The following packages were automatically installed and are no longer required:
The following packages were automatically installed and are no longer required:
Use 'sudo apt autoremove' to remove them.

Suggested packages:
Um-sensors

The following NEW packages will be installed:
http:
http://deb.debian.org/debian bookworm/main arm64 http arm64 3.2.2-2 [144 kB]
Fetched 144 kB no 8 (1, M99 kB/s)
Selecting previously unselected package http.
(Reading database ... 152459 files and directories currently installed.)
Preparing to unpack .../https_3.2.2-2_arm64.deb ...
Unpackagh phtop (3.2.2-2).

Setting up http (3.2.2-2).

Setting up http (3.2.2-2) man-dobero-file-utils (0.26-1) ...
Processing triggers for mailcap (3.36-0-1) ...
Processing triggers for gone-memus (3.36-0-1) ...
Processing triggers for man-db (2.11.2-2) ...
garrett@PiStudent7 ->>
```

```
Tasks: 87, 127 thr, 123 kthr; 2 running
Load average: 0.32 0.13 0.12
Uptime: 00:38:28
 Main I/O
PID USER
                                          PRI NI VIRT
                                                                                  RES SHR S CPU% MEM% TIME+ Command
                                                        19
19
                                                                                              83808
                                                                                                                                    2.9
2.9
2.9
2.9
2.9
2.0
2.0
1.7
                                                                                                                                                 0:00.00 /usr/bin/wayfire
                                                                                                                                                 0:00.00 /usr/bin/wayfire
0:00.00 /usr/bin/wayfire
0:00.00 /usr/bin/wayfire
   1181
                                                                                               83808
                                              39
                                                                                               83808
                                              20
20
20
   3350
    3351
                                                                                                                                                 0:00.00
                                                                                                83808
55168
   3354
                                                                                                                                                 0:00.00 /usr/bin/wayfire
                                                                                                                                                0:00.00 /usr/bin/waytire
0:00.74 /usr/bin/Xwayland -auth /home/student7/.Xauthority:0 -rootl
0:00.00 /usr/bin/Xwayland -auth /home/student7/.Xauthority:0 -rootl
0:00.00 /usr/bin/Xwayland -auth /home/student7/.Xauthority:0 -rootl
0:00.3.20 pcmanfm --desktop --profile LXDE-pi
0:00.01 pcmanfm --desktop --profile LXDE-pi
0:00.01 pcmanfm --desktop --profile LXDE-pi
1:11.38 wf-panel-pi
1:11.38 wf-panel-pi
   3415
                                             20
39
                                                                                83264
    3419
                                                                                83264
                                                                                                  5168
                                              20
20
                                                                                    992
                                                                                                   792
   1241
                                                                                    3992
                                                                                                   3792
   1248
                                             20
20
20
20
20
                                                                                    3992
                                                                                               33792
33792
                                                                                    3992
                                                                                                                                    1.7
1.5
1.5
1.5
1.5
1.5
    1230
                                                                                    3744
                                                                                                                                                1:11.38 wf-panel-pi

0:00.00 wf-panel-pi

0:00.09 wf-panel-pi

0:00.00 wf-panel-pi

0:00.00 wf-panel-pi

0:00.00 wf-panel-pi

0:00.00 wf-panel-pi

0:00.00 wf-panel-pi

0:00.03 /usr/libexec/xdg-desktop-portal-wlr
                                                                                    3744
                                                                                                <mark>46</mark>336
                                                                                63744
                                                                                               46336
                                             20
20
20
20
                                                                                63744
                                                                                                46336
    1467
                                                                                    3744
                                                                                                46336
    1468
                                                                                    3744
                                                                                                <mark>46</mark>336
    1595
                                                                                    3744
                                                                                               46336
                                                                                                                                    1.5
1.4
1.4
1.3
                                             20
20
   1619
                                                                                63744
                                                                                               46336
                                                                                57856
                                                                                                45056
                                                                                                                                                0:00.03 /usr/libexec/xdg-desktop-portal-wlr
0:00.00 /usr/libexec/xdg-desktop-portal-wlr
0:12.26 wayvnc --render-cursor --detached --config /etc/wayvnc/config
0:01.36 wayvnc --render-cursor --detached --config /etc/wayvnc/config
0:01.42 wayvnc --render-cursor --detached --config /etc/wayvnc/config
0:01.41 wayvnc --render-cursor --detached --config /etc/wayvnc/config
0:01.39 wayvnc --render-cursor --detached --config /etc/wayvnc/config
0:00.17 /usc/bin/circol/whos
                                              39
20
20
   1332
                                                                                   7856
                                                                                                   056
                                                                                                  <mark>6</mark>352
                                                                                52672
52672
                                                                                               36352
36352
   1109
                                                                                                                                    1.3
1.3
1.3
   1110
                                              20
20
                                                                                   2672
                                                                                                3<mark>6</mark>352
                                              20
9
                                                                                    2672
                                                                                                   352
    1036
                                                                                40240
                                                                                                <mark>28</mark>080
                                                                                                                                     1.0
                                                                                                                                                 0:00.17 /usr/bin/wireplumber
                                                                                                                                                 0:00.00 /usr/bin/wireplumber
0:00.00 /usr/bin/wireplumber
   1059
                                             20
20
20
-21
20
20
                                                                                40240
                                                                                                                                     1.0
                                                                                                28080
                                                                                    240
                                                                                                  8080
                                                                                                                                     1.0
1.0
                                                                                    240
                                                                                                   8080
                                                                                                                                                 0:00.00
                                                                                                                                                0:00.00 /usr/bin/wireplumber
0:00.00 /usr/bin/wireplumber
0:00.00 /usr/bin/wireplumber
0:00.00 /usr/bin/wireplumber
                                                                                    240
                                                                                                   080
                                                                                40240
40240
   1166
1167
                                                                                               28080
28080
                                                                                                                                     1.0
                                                                                    240
                                                                                                                                      1.0
    1170
                                              20
```

```
Tasks: 87, 127 thr, 124 kthr; 1 running
Load average: 0.19 0.12 0.12
Uptime: 00:38:59
Main I/O
PID USER
                                     PRI NI VIRT RES SHR S CPU% MEM%
                                                                                                                                  TIME+ ⊽Command
                                                                                                                      2.9
  1038
                                                                                                                                 0:44.99 /usr/bin/wayfire
                                                                                                                                0:44.99 /usr/bin/wayfire
0:12.26 wayvnc --render-cursor --detached --config /etc/wayvnc/confi
0:03.20 pcmanfm --desktop --profile LXDE-pi
0:01.42 wayvnc --render-cursor --detached --config /etc/wayvnc/confi
0:01.41 wayvnc --render-cursor --detached --config /etc/wayvnc/confi
0:01.39 wayvnc --render-cursor --detached --config /etc/wayvnc/confi
0:01.36 wayvnc --render-cursor --detached --config /etc/wayvnc/confi
0:01.23 /sbin/init splash
0:00.74 /usr/bin/Xwayland -auth /home/student7/.Xauthority:0 -rootl
0:00.74 /usr/bin/Xbus-daemon --system --address=systemd: --nofrk --
                                                                      52672
68992
                                                                                      36352
                                         20
  1221
                                                                                     33792
                                         20
  1110
                                        20
20
20
                                                                                       6352
                                                                          2672
                                                                                     36352
36352
  1112
                                        20
20
                                                          517M
166M
                                                                                                                      1.3
  1109
                                                                       11696
                                                                                      7680
                                        20
20
                                                                                                                               0:00.74 /usr/bin/Xwayland -auth /home/student7/.Xauthority:0 -rootl
0:00.67 /usr/bin/Xwayland -auth /home/student7/.Xauthority:0 -rootl
0:00.67 /usr/bin/dbus-daemon --system --address=systemd: --nofork --
0:00.47 htop
0:00.30 /usr/sbin/NetworkManager --no-daemon
0:00.23 /lib/systemd/systemd-journald
0:00.22 /usr/lib/polkit-1/polkitd --no-debug
0:00.17 /usr/bin/wireplumber
0:00.16 /usr/bin/python3 /usr/share/system-config-printer/applet.py
0:00.15 lxterminal
0:00.13 /usr/libexec/accounts-daemon
0:00.13 /usr/libexec/accounts-daemon
0:00.13 /lib/systemd/systemd --user
0:00.10 /lib/systemd/systemd-udevd
0:00.10 /usr/libexec/colord
0:00.10 /usr/libexec/polkit-mate-authentication-agent-1
0:00.10 /lib/systemd/systemd --user
0:00.09 /lib/systemd/systemd-logind
0:00.09 wf-panel-pi
  3415
                                                                       <mark>83</mark>264
                                                                                        168
                                                                                                                      2.0
    709
                                                                        4096
                                                                                      3072
                                                                                                                      0.1
                                                                        4096
  4164 garrett
                                                                                      2560 R
                                                                                                          0.7
                                                                                                                      0.1
                                                                                      14848
                                        20
20
                                                                       19456
                                                                                                                      0.5
   826
    313
                                                                                       3824
                                        20
9
                                                                        <mark>8</mark>704
  1036
                                                                       40240
                                                                                     28080
                                                                                                                      1.0
  1217
                                         20
                                                         64336
                                                                       35328
                                                                                                                      0.9
                                                                                     17920
                                        20
20
20
20
  3512
                                                                       37888
                                                                                        136
    704
                                                                        6144
  1006
                                                                                      <mark>8</mark>192
                                                                                                                      0.3
                                        20
20
  2045 garrett
                                                                                     19456
                                                                       26624
                                                                                                                      0.6
                                                         27696
                                                                                                                      0.2
0.3
0.5
    345
                                                                       6656
                                                                                      4096
                                        20
20
                                                                       11264
  1197
                                                                          456
                                                                                       3824
                                                                      10240
7168
63744
                                                         20208
34144
  2027 garrett
                                                                                      8192
                                                                                                                      0.2
                                                                                      6144
                                        20
20
                                                                                                                      0.2
  1257
                                                                                       6336
                                                                                                                                 0:00.09 wf-panel-p
    824
                                                                        8704
                                                                                      5632
                                                                                                                                 0:00.08 /usr/lib/polkit-1/polkitd -
  1150
                                                                       19456
                                                                                      8192
                                                                                                                      0.5
                                                                                                                                 0:00.08 python /usr/sbin/wayvnc-control.py
                                                                      21504
                                                                                                                                 0:00.08 /usr/libexec/xdg-desktop-portal-gtk
  1318
                                         20
                                                                                      15360
                                                                                                                      0.5
                                                                                                                      0.5
                                                                       19456
                                                                                       4848
                                                                                                                                 0:00.07
    868
                                         20
                                                                                                                                 0:00.07 /usr/sbin/NetworkManager --no-daemon
0:00.07 /usr/bin/dbus-daemon --session --address=systemd: --nofork
                                                                       3584
5120
  1051
                                         20
                                                          8976
                                                                                       <mark>3</mark>072
    707
                                         20
                                                                                      <mark>4</mark>608
                                                                                                                                 0:00.06 /usr/libexec/bluetooth/bluetoothd
                                                                       10752
18432
                                                                                     9216
13312
                                                                                                                                 0:00.06 /sbin/wpa_supplicant -u -s -0 DIR=/run/wpa_supplicant GROUP= 0:00.06 gtk-nop 0:00.06 -fish
    828
                                                         17808
                                                                                                                      0.3
  1237
                                         20
                                                                                                                      0.4
  4045 garrett
                                         20
                                                                                                                                  0:00.05 /usr/sbin/ModemManager
```

```
Tasks: 87, 127 thr, 123 kthr; 2 running
Load average: 0.33 0.12 0.12
Uptime: 00:37:56
Main I/O
PID USER
                                                               PRI NI VIRT RES SHR S CPU% MEM% TIME+ Command
                                                                                                                                                                                                                                1:00.07 htop

0:01.23 /sbin/init splash
0:00.23 /lib/systemd/systemd-journald
0:00.10 /lib/systemd/systemd-udevd
0:00.04 /lib/systemd/systemd-timesyncd
0:00.09 /lib/systemd/systemd-timesyncd
0:00.13 /usr/libexec/accounts-daemon
0:00.02 avahi-daemon: running [PiStudent7.local]
0:00.06 /usr/libexec/bluetooth/bluetoothd
0:00.00 /usr/sbin/cron -f
0:00.07 /usr/bin/dbus-daemon --system --address=systemd: --nofork --
0:00.22 /usr/lib/polkit-1/polkitd --no-debug
0:00.09 /lib/systemd/systemd-logind
0:00.09 /usr/sbin/thd --triggers /etc/triggerhappy/triggers.d/ --soc
0:00.00 avahi-daemon: chroot helper
0:00.04 /usr/libexec/udisks2/udisksd
0:00.01 /usr/libexec/udisks2/udisksd
0:00.01 /usr/libexec/accounts-daemon
0:00.00 /usr/libexec/udisks2/udisksd
                                                                                                166M 11696
50544 14848
27696 6656
21072 6656
         313
                                                                                                                                                     13824
                                                                                                                                                                                                               0.4
        345
                                                                                                                                                                                                               0.2
0.2
0.2
                                                                                                                                                        4096
                                                                        20
                                                                       20
20
20
         700
                                                                                                                              6656
6144
         704
                                                                                                                                                        5120
                                                                                                       7600
         706
                                                                       20
20
                                                                                                                                                        2048
                                                                                                                               2560
                                                                                                                                                                                                                0.1
                                                                                                    13776
6880
10112
         707
                                                                                                                                5120
                                                                                                                                                        4608
                                                                       20
20
                                                                                                                               2048
4096
         708
                                                                                                                                                        2048
         709
                                                                                                                               8704
7168
                                                                       20
20
20
20
20
                                                                                                    303M
34144
                                                                                                                                                                                                               0.2
                                                                                                                                                        6144
        732
733
                                                                                                     6032
7424
                                                                                                                               2048
1536
                                                                                                                                                        2048
                                                                                                                                                        1024
                                                                                                                           11776
6144
                                                                                                       387M
232M
                                                                                                                                                        8704
                                                                                                                                                                                                               0.3
                                                                        20
                                                                                                                                                        5120
                                                                                                                                                                                                               0.1
                                                                       20
20
20
20
                                                                                                                                                        8704
5632
                                                                                                                                                                                                               0.3
0.2
0.3
       817
                                                                                                                           8704
11776
       819
                                                                                                                                                        <mark>8</mark>704
                                                                       20
20
                                                                                                                              8704
6144
       824
                                                                                                                                                                                                               0.2
                                                                                                                                                        5120
       825
                                                                       20
20
20
                                                                                                                            19456
10752
                                                                                                                                                                                                                                   0:00.30 /usr/sbin/NetworkManager --no-daemon
0:00.06 /sbin/wpa_supplicant -u -s -0 DIR=/run/wpa_supplicant GROUP=
0:00.05 /usr/sbin/ModemManager
       826
        828
                                                                                                    17808
                                                                                                                                                        9216
9216
       852
                                                                                                                                                                                                                0.3
                                                                                                                                                                                                                                 0:00.05 /usr/sbin/ModemManager
0:00.00 /usr/sbin/ModemManager
0:00.00 /usr/sbin/ModemManager
0:00.00 /usr/libexec/udisks2/udisksd
0:00.01 /usr/sbin/ModemManager
0:00.00 /usr/libexec/udisks2/udisksd
0:00.01 /usr/sbin/NetworkManager --no-daemon
0:00.07 /usr/sbin/NetworkManager --no-daemon
0:00.01 /usr/sbin/NetworkManager --no-daemon
0:00.01 /usr/sbin/Lupsd -l
0:00.00 /bin/sh /usr/sbin/wayvnc-run.sh
0:00.04 /usr/sbin/lightdm
0:12.26 wayvnc --render-cursor --detached --config /etc/wayvnc/confi
0:00.00 /usr/sbin/lightdm
                                                                      20
20
20
20
       855
                                                                                                                            12288
                                                                                                                                                                                                               0.3
0.3
                                                                                                                                                        8704
9216
       858
                                                                                                                                   2288
       865
                                                                                                                                                        8704
                                                                                                                                                                                                                0.3
                                                                       20
20
20
20
20
                                                                                                                            19456
                                                                                                                                                                                                               0.5
0.5
       867
                                                                                                                                                       14848
                                                                                                                             19456
                                                                                                                                                       14848
       868
       871
                                                                                                                                1024
       874
                                                                                                                            6656
52672
6656
                                                                                                                                                                                                               0.2
1.3
0.2
                                                                                                                                                      5632
36352
       889
                                                                                                         517M
       893
                                                                        20
       898
                                                                        20
```